

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION OF

ATTENTION: APPLICATION DIVISION

Inventor(s): ISHII, et al.

Appln. No.: 09 | 172,263

Series Code ↑ | Serial No. ↑

Filed: October 14, 1998

Title: ZOOM LENS SYSTEM

Date: February 22, 1999

Asst. Commissioner of Patents  
and Trademarks  
Washington, D.C. 202031

RECEIVED  
MAR -9 AM 9:32  
TECHNOLOGY CENTER 2200

Sir:

**2<sup>nd</sup> REQUEST FOR CORRECTED FILING RECEIPT**

1. Attached is a copy of the official filing receipt from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

2. There is an error with respect to the following data which is

☒ incorrectly entered  
**Error in**

and/or

☐ omitted  
**Correct data**

1. ☐ Applicant's Name

1.

2. ☒ Applicant's Address2. 1st INVENTOR -- HOYA-SHI, JAPAN  
2nd INVENTOR -- MACHIDA-SHI, JAPAN3. ☐ Title

3.

4. ☐ Filing Date

4.

5. ☐ Serial Number

5.

6. ☐ Foreign/PCT Application Re

6.

7. ☒ Other

7. TOTAL CLAIMS -- 38 --

3. (complete the following applicable item A or B)

A. ☒ The correction(s) is/are not due to any error by applicant and no fee is due.

OR

B. ☐ The fee under 37 CFR 1.19(h) of \$25.00 (fee code 576) is paid as follows:

☐ Enclosed is a check for 25.00 which if missing or inadequate please charge our Deposit Account No. 03-3975 under Order No. \_\_\_\_\_ for which purpose this Request is filed in duplicate.

**Pillsbury Madison & Sutro LLP**

1100 New York Avenue, N.W.  
Ninth Floor, East Tower  
Washington, D.C. 20005-3918  
Tel: (202) 861-3000  
Atty/Sec: GLK/rgf

By: Atty: G. Lloyd KnightReg. No. 17698Sig: 

Fax: (202) 822-0944  
Tel: (202) 861-3090

**(Attach Filing Receipt copy and PTO receipt PAT-103A)**

FILING RECEIPT  
CORRECTED



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER  
OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
09/172,263	10/14/98	2873	\$2,674.00	PM256389	13	<del>39</del>	16

38

PILLSBURY MADISON & SUTRO  
ATTN G LLOYD KNIGHT  
1100 NEW YORK AVENUE N W  
NINTH FLOOR EAST TOWER  
WASHINGTON DC 20005-3918

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)


*HOYA-SHI*  
ATSUJIRO ISHII, HACHIOJI-SHI, JAPAN; YUJI MIYAUCHI,  
HACHIOJI-SHI, JAPAN.  
*MACHIDA-SHI*

FOREIGN APPLICATIONS-	JAPAN	9-280758	10/14/97
	JAPAN	10-244643	08/31/98
	JAPAN	10-003215	01/09/98

TITLE  
ZOOM LENS SYSTEM

PRELIMINARY CLASS: 359

*see request for  
corrected filing receipt*



DATA ENTRY BY: MEREDITH, WANDA

TEAM: 03 DATE: 01/20/99